# SAFETY DATA SHEET



# Section 1. Identification

Product name	Castrol Transmax CVT
SDS #	467204
Code	467204-US65
Relevant identified uses of	the substance or mixture and uses advised against
Product use	Automatic transmission fluid. For specific application advice see appropriate Technical Data Sheet or consult our company representative.
Supplier	BP Lubricants USA Inc. 1500 Valley Road Wayne, NJ 07470 Telephone: (973) 633-2200
EMERGENCY HEALTH	1 (800) 447-8735
INFORMATION.	Outside the US: +1 703-527-3887 (CHEMTREC)
EMERGENCY SPILL INFORMATION:	1 (800) 424-9300 CHEMTREC (USA)

# Section 2. Hazards identification

OSHA/HCS status	This material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).	
Classification of the substance or mixture	Not classified.	
GHS label elements		
Signal word	No signal word.	
Hazard statements	No known significant effects or critical hazards.	
Precautionary statements		
General	Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.	
Prevention	Not applicable.	
Response	Not applicable.	
Storage	Not applicable.	
Disposal	Not applicable.	
Hazards not otherwise classified	Defatting to the skin.	

# Section 3. Composition/information on ingredients

Mixture

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Product name	Castrol Transmax CVT		
Version 1.03	Date of issue 10/01/2020.		

Substance/mixture

# Section 3. Composition/information on ingredients

Ingredient name	CAS number	%
Distillates (petroleum), hydrotreated light paraffinic Distillates (petroleum), hydrotreated heavy paraffinic	64742-55-8 64742-54-7	≥50 - ≤75 ≥25 - ≤50
Methacrylate copolymer	Proprietary	<10
Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based Distillates (petroleum), hydrotreated light paraffinic	72623-86-0 64742-55-8	≤3 ≤3

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

### Description of necessary first aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if symptoms occur.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.

### Most important symptoms/effects, acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.
Specific treatments	No specific treatment.

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.
Unsuitable extinguishing media	Do not use water jet.
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	Combustion products may include the following: carbon oxides (CO, CO <sub>2</sub> ) (carbon monoxide, carbon dioxide)
Special protective actions for fire-fighters	No action shall be taken involving any personal risk or without suitable training. Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire.
Special protective equipment for fire-fighters	Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

Product name	Castrol Transmax CVT		
Version 1.03	Date of issue 10/01/2020.		

# Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures		
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment. Floors may be slippery; use care to avoid falling.	
For emergency responders	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
Methods and materials for cont	ainment and cleaning up	
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.	
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.	

# Section 7. Handling and storage

Precautions for safe handling	
Protective measures	Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Not suitable	Prolonged exposure to elevated temperature

# Section 8. Exposure controls/personal protection

### **Control parameters**

Occupational exposure limits

Distillates (petroleum), hydrotreated light paraffinic

### ACGIH TLV (United States).

TWA: 5 mg/m<sup>3</sup> 8 hours. Issued/Revised: 11/2009 Form: Inhalable fraction **OSHA PEL (United States).** TWA: 5 mg/m<sup>3</sup> 8 hours. Issued/Revised: 6/1993

Distillates (petroleum), hydrotreated heavy paraffinic

### ACGIH TLV (United States).

TWA: 5 mg/m<sup>3</sup> 8 hours. Issued/Revised: 11/2009 Form: Inhalable fraction **OSHA PEL (United States).** TWA: 5 mg/m<sup>3</sup> 8 hours. Issued/Revised: 6/1993

Methacrylate copolymer

#### None.

Product name	Castrol Transi	max CVT		Product code	467204-US65	Page: 3/9
Version 1.03	Date of issue	10/01/2020.	Format	CCSA	Language	ENGLISH

Lubricating oils (petroleum),	C15-30, hydrotreated neutral oil-based	ACGIH TLV (United States).	
<b>C</b> <i>P</i>		TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised:	
		11/2009 Form: Inhalable fraction	
		OSHA PEL (United States).	
		TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 6/1993	
Distillates (petroleum), hydro	treated light paraffinic	ACGIH TLV (United States).	
		TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 11/2009 Form: Inhalable fraction OSHA PEL (United States).	
		TWA: 5 mg/m <sup>3</sup> 8 hours. Issued/Revised: 6/1993	
Appropriate engineering		d be assessed for their risks to health, to ensure	
controls	considered after other forms of contro suitably evaluated. Personal protectiv standards, be suitable for use, be kep Your supplier of personal protective ev selection and appropriate standards. organisation for standards.	Personal protective equipment should only be of measures (e.g. engineering controls) have been ve equipment should conform to appropriate it in good condition and properly maintained. quipment should be consulted for advice on For further information contact your national	
	concentrations below their respective The final choice of protective equipme	ent will depend upon a risk assessment. It is	
		ersonal protective equipment are compatible.	
Environmental exposure controls	comply with the requirements of envir fume scrubbers, filters or engineering	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.	
Individual protection measur	res		
Hygiene measures	eating, smoking and using the lavator Appropriate techniques should be use	bughly after handling chemical products, before y and at the end of the working period. to remove potentially contaminated clothing. eusing. Ensure that eyewash stations and safety location	
Eye/face protection	Safety glasses with side shields.		
Skin protection	Carety glasses with side similar.		
Hand protection	Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves. Recommended: Nitrile gloves. The correct choice of protective glove depends upon the chemicals being handled, the conditions of work and use, and the condition of the gloves (even the best chemically resistant glove will break down after repeated chemical exposures). Most gloves provide only a short time of protection before they must be discarded and replaced. Because specific work environments ar material handling practices vary, safety procedures should be developed for each intended application. Gloves should therefore be chosen in consultation with the support manufacturer and with a full assessment of the working conditions.		
Body protection Use of protective clothing is good industrial practice. Personal protective equipment for the body should b performed and the risks involved and should be app this product.		body should be selected based on the task being should be approved by a specialist before handlin	
	contamination that will not soak throug regular basis. When the risk of skin e	I only provide protection against light superficial gh to the skin. Overalls should be laundered on a exposure is high (e.g. when cleaning up spillages of emical resistant aprons and/or impervious chemica	
Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.		

Product name Castrol Transmax CVT	Product code	467204-US65 Page: 4/9
Version 1.03 Date of issue 10/01/2020.	Format CCSA	Language ENGLISH

### Section 8. Exposure controls/personal protection

**Respiratory protection** 

In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

# Section 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Color	Red.
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point	Not available.
Boiling point	Not available.
Flash point	Open cup: >160°C (>320°F) [Cleveland.]
Pour point	-51 °C
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable. Based on - Physical state
Lower and upper explosive (flammable) limits	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Density	<1000 kg/m³ (<1 g/cm³) at 15°C
Solubility	insoluble in water.
Partition coefficient: n- octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Kinematic: 32.1 to 36 mm²/s (32.1 to 36 cSt) at 40°C Kinematic: 6.8 to 7.4 mm²/s (6.8 to 7.4 cSt) at 100°C

# Section 10. Stability and reactivity

Reactivity	No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.
Chemical stability	The product is stable.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
Incompatible materials	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Product name Castrol Transmax CVT	Product code	467204-US65	Page: 5/9
Version 1.03 Date of issue 10/01/2020.	Format CCSA	Languag	ge ENGLISH

# Section 11. Toxicological information

### Information on toxicological effects

### Aspiration hazard

Mama		
Name Distillates (petroleum), hydrotreated light paraffinic Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based		Result
		ASPIRATION HAZARD - Category 1 ASPIRATION HAZARD - Category 1
Information on the likely routes of exposure	Routes of entry anticipated: Dermal, In	halation.
Potential acute health effects		
Eye contact		
Skin contact	No known significant effects or critical	hazards.
Inhalation	Vapor inhalation under ambient conditions is not normally a problem due to low vapor pressure.	
Ingestion	No known significant effects or critical	hazards.
Symptoms related to the physical	sical, chemical and toxicological charac	teristics
Eye contact	No specific data.	
Skin contact	Adverse symptoms may include the following: irritation dryness cracking	
Inhalation		re to vener, miste or fumee regulting from thermal
initialation		re to vapor, mists or runnes resulting from thermal
Ingestion	decomposition products occurs. No specific data.	re to vapor, mists or rumes resulting from thermal
Ingestion	decomposition products occurs. No specific data.	
Ingestion <u>Delayed and immediate effect</u>	decomposition products occurs.	
Ingestion	decomposition products occurs. No specific data.	
Ingestion <u>Delayed and immediate effect</u> <u>Short term exposure</u> Potential immediate effects	decomposition products occurs. No specific data. ts and also chronic effects from short a	
Ingestion <u>Delayed and immediate effect</u> <u>Short term exposure</u> Potential immediate effects Potential delayed effects	decomposition products occurs. No specific data. ts and also chronic effects from short a Not available.	
Ingestion <u>Delayed and immediate effect</u> <u>Short term exposure</u> Potential immediate effects	decomposition products occurs. No specific data. ts and also chronic effects from short a Not available.	
Ingestion <u>Delayed and immediate effect</u> <u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u> Potential immediate effects	decomposition products occurs. No specific data. ts and also chronic effects from short a Not available. Not available.	re to vapor, mists or fumes resulting from thermal
Ingestion <u>Delayed and immediate effect</u> <u>Short term exposure</u> Potential immediate effects Potential delayed effects <u>Long term exposure</u> Potential immediate	decomposition products occurs. No specific data. <b>ts and also chronic effects from short a</b> Not available. Not available. Not available.	
Ingestion Delayed and immediate effects Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects	decomposition products occurs. No specific data. <b>ts and also chronic effects from short a</b> Not available. Not available. Not available.	<u>nd long term exposure</u>
Ingestion Delayed and immediate effect Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential delayed effects Potential delayed effects Potential chronic health effe	decomposition products occurs. No specific data. ts and also chronic effects from short a Not available. Not available. Not available. Not available.	nd long term exposure
Ingestion  Delayed and immediate effect Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential delayed effects Potential delayed effects Contential delayed effects Potential chronic health effect General	decomposition products occurs. No specific data. ts and also chronic effects from short a Not available. Not available. Not available. Not available.	nd long term exposure hazards. hazards.
Ingestion Delayed and immediate effects Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential delayed effects Potential chronic health effects General Carcinogenicity	decomposition products occurs. No specific data. <b>ts and also chronic effects from short a</b> Not available. Not available. Not available. Not available. Not available. Not available. Not available.	nd long term exposure hazards. hazards. hazards.
Ingestion Delayed and immediate effects Short term exposure Potential immediate effects Potential delayed effects Long term exposure Potential immediate effects Potential delayed effects Potential delayed effects Potential chronic health effect General Carcinogenicity Mutagenicity	decomposition products occurs. No specific data. <b>ts and also chronic effects from short a</b> Not available. Not available. Not available. Not available. <b>Sets</b> No known significant effects or critical No known significant effects or critical No known significant effects or critical	nd long term exposure hazards. hazards. hazards. hazards.

### Numerical measures of toxicity

Acute toxicity estimates Not available.

# Section 12. Ecological information

#### **Toxicity**

No testing has been performed by the manufacturer.

### Persistence and degradability

Expected to be biodegradable.

### **Bioaccumulative potential**

This product is not expected to bioaccumulate through food chains in the environment.

Mobility in soil Soil/water partition	Not available.	
coefficient (K <sub>oc</sub> ) Mobility	Spillages may penetrate the soil causing ground water contamination.	
Other adverse effects	No known significant effects or critical hazards.	
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.	

### Section 13. Disposal considerations

**Disposal methods** The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# Section 14. Transport information

	DOT Classification	TDG Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

Special precautions for user

Not available.

Not available.

Transport in bulk according to Annex II of MARPOL and the IBC Code

Product name Castrol Transmax CVT Version 1.03 Date of issue 10/01/2020.

**Product code** 467204-US65 Page: 7/9 **Format CCSA** 

# Section 15. Regulatory information

U.S. Federal regulations	
United States inventory (TSCA 8b)	All components are active or exempted.
Other regulations	
Australia inventory (AICS)	All components are listed or exempted.
Canada inventory	All components are listed or exempted.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (ENCS)	All components are listed or exempted.
Korea inventory (KECI)	All components are listed or exempted.
Philippines inventory (PICCS)	All components are listed or exempted.
Taiwan Chemical Substances Inventory (TCSI)	All components are listed or exempted.
REACH Status	For the REACH status of this product please consult your company contact, as identified in Section 1.

### Section 16. Other information

<u>History</u>	
Date of issue/Date of revision	10/01/2020.
Date of previous issue	10/01/2020.
Prepared by	Product Stewardship
Key to abbreviations	ACGIH = American Conference of Industrial Hygienists ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS Number = Chemical Abstracts Service Registry Number GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) OEL = Occupational Exposure Limit SDS = Safety Data Sheet STEL = Short term exposure limit TWA = Time weighted average UN = United Nations UN Number = United Nations Number, a four digit number assigned by the United Nations Committee of Experts on the Transport of Dangerous Goods. Varies = may contain one or more of the following 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4, 64742-01-4, 64742-44-5, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-57-0, 64742-58-1, 64742-62-7, 64742-63-8, 64742-65-0, 64742-70-7, 72623-85-9, 72623-86-0, 72623-87-1

### Indicates information that has changed from previously issued version.

### Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be

Product name Castrol Transmax CVT	Product code	467204-US65 Page: 8/9
Version 1.03 Date of issue 10/01/2020.	Format CCSA	Language ENGLISH

# Section 16. Other information

taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name	Castrol Transmax CVT	
Version 1.03	Date of issue	10/01/2020.

Product code467204-US65Page: 9/9Format CCSALanguage ENGLISH