



Grillo

AGRIGARDEN MACHINES

TWO-WHEEL TRACTORS

CATALOGUE



ROTAVATOR - GASOLINE

G Z3 - FOR GARDENING



Engine: Honda GCV170 OHC Recoil starter. Air cooled. Dry air filter with interchangeable filter cartridges.

Displacement: 166 cc, 1 Cylinder
Power: 4.8 HP (3.6 kW)

Fuel tank capacity: 0.9 litres

Transmission: Endless screw in oil bath
Gearbox: 1 Forward gear + 1 Reverse gear
Clutch: Active coupling

Rotary tiller: Standard, 6 x 4 front tines & side discs

Tine diameter: 28 cm

Working width: Adjustable 35 cm, 57 cm & 80 cm

Working depth: 28 cm

Handlebar: Adjustable Height & Side
Speeds: Max. Forward gear 2.1 km/h

Safety devices: Active coupling - the machine stops when handlebar is released. Mudguards & handlebars, safety compliant, muffler protection.

Weight: 45 kg



G 52 – FOR GARDENING & FARMING



Engine: Kohler Lombardini 3000 OHV. Recoil starter. Air cooled. Dry air filter with interchangeable filter cartridges
Displacement: 196 cc, 1 Cylinder
Power: 5.5 HP (4.1 kW)

Fuel tank capacity: 3.6 litres

Transmission: Oil bath gears
Gearbox: 1 Forward gear + 1 Reverse gear
Clutch: Active coupling

Rotary tiller: Standard PTO (978511) 4 x 4 rear tines
Tine diameter: 28 cm
Working width: 50 cm
Working depth: 13 cm
Handlebar: Adjustable Height & Side fitted on anti-vibration blocks
Speeds: 1st gear 1.4 km/h; reverse gear 2.2 km/h

Rotary cutter: Standard PTO (9M1111)
Working width: 75 cm

Tyre sizes: 13x5.00-6 wheels

Safety devices: Active coupling - the machine stops when handlebar is released. Automatic disengagement of tiller in reverse gear.

Weight: 67 kg



G 52

Item Number: 978511
Adjustable rotary tiller 50 cm 4 x 4 tines
Weight: 24 kg

Item Number: 944622
Furrower (banker) for behind tiller 978511
Weight: 3 kg

Item Number: 9M5411
Rotary cutter 50 cm
Weight: 29 kg



G 110D-G – FOR FARMING



Engine: Honda GX390. Recoil starter. Air cooled.
Displacement: 389 cc, 1 Cylinder
Power: 11.7 HP (8.7 kW)

Fuel tank capacity: 6.0 litres

Transmission: Oil bath gears
Gearbox: With inverter. 3 Forward; 3 Reverse gears
Reverse gear unit: Rapid through lever
Clutch: Conic and active

Rotary tiller: Standard, adjustable PTO (984611)
4 x 4 rear tines
Tine diameter: 31.5 cm
Working width: Adjustable 37 cm, 47 cm, 58 cm, 68 cm
Working depth: 16 cm



Handlebar: Height and side adjustment and reversible

Rotary cutter: Standard PTO (9M1111)
Working width: 75 cm

Differential locking: Standard, with locking device through lever

Tyre sizes: 4.00-10
5.00-10 (Std)
5.00-12 (for furrower & plough)
Wide steel wheels 40 cm x 10 cm
Turf wheels 20 x 10.00-8



Service brake: Drum brake as a standard feature

Safety devices: Active clutch, reverse speed – PTO cut out, automatic decelerator in reverse speed

Weight: 142 kg (68 cm rotary tiller and 5.00-10 wheels)

G 110D – FOR FARMING



Engine: Kohler KD15 440. Diesel. Air cooled.
Recoil starter & electric starter with 12V battery.
Displacement: 441 cc, 1 Cylinder
Power: 11 HP (8.1 kW)

Fuel tank capacity: 5.0 litres

Transmission: Oil bath gears
Gearbox: With inverter. 3 Forward; 3 Reverse gears
Reverse gear unit: Rapid through lever
Clutch: Conic and active

Rotary tiller: Standard, adjustable PTO (984611)
4 x 4 rear tines
Tine diameter: 31.5 cm
Working width: Adjustable 37 cm, 47 cm, 58 cm, 68 cm
Working depth: 16 cm



Handlebar: Height and side adjustment and reversible

Rotary cutter: Standard PTO (9M1111)
Working width: 75 cm

Differential locking: Standard, with locking device through lever

Tyre sizes: 4.00-10
5.00-10 (Std)
5.00-12 (for furrower & plough)
Wide steel wheels 40 cm x 10 cm
Turf wheels 20 x 10.00-8



Service brake: Drum brake as a standard feature

Safety devices: Active clutch, reverse speed – PTO cut out, automatic decelerator in reverse speed

Weight: 164 kg (68 cm rotary tiller and 5.00-10 wheels)





G110D-G & G110D



Item Number: 900412
Pneumatic Tractor wheels 5.00-10 (adjustable disks);
Weight: 22 kg



Item Number: 900512
Pneumatic Tractor wheels 5.00-12 (adjustable disks);
Weight: 25 kg



Item Number: 920312
Wide steel wheels Ø 40 x 10 cm (pair)
Weight: 12.5 kg



Item Number: 937112
12 cm wheel extensions (pair) extensions 12 cm



Item Number: 9G2512
Adjustable wheel extension: 25 cm (pair)



Item Number: 948611
Adjustable rotary tiller 68cm (4x4) tines
Weight: 42 kg



Item Number: 9C7012
Rotary Tiller support wheel
Weight: 2 kg
The tiller support wheel is fitted to the rear of the rotary tiller. It keeps the hoes off the ground and facilitates transfers.



Item Number: 9M1111
Rotary cutter 75 cm with blade brake, wheel and skid hoes
Weight: 29 kg Rotary cutter 75 cm



Item Number 943622
Berta rear rotary plough 30 cm for walking tractors
Weight: 44 kg



Item Number 944411
Plough kit for G108D & G110D
Weight: 68 kg
This kit includes: turn-wrest plough 180°, frame for attachments, wheel weights, wheel extensions.



Item Number 9G6311
All Purpose flail mower 68 cm
Weight 75 kg



Item Number 946511
Rear coupling assembly for quick coupling



Item number 946911
Front coupling assembly for quick coupling (machine side)
Weight: 2.5 kg



Item Number 945322
Frame for attachments for single furrow and plough



Item Number 943222
Turn-wrest plough 180 °



Item Number 944122
Adjustable furrower



Item Number 9E6822
Potato lifter
Weight: 11 kg



Item Number 945022
Adjustable furrower behind the rotary tiller



Item Number 9F4212
Tow bar for walking tractor
Weight: 4 kg



Item Number 943411
Transport Sulky with brake item
Weight: 40 kg



Item Number 9G2512
Wheel weights (pair)
Weight 36 kg





Grillo

AGRIGARDEN MACHINES



CONTACT US AT

3-5 Ibis Avenue, Ibis Acres, San Juan

21 Scott Street, San Fernando

#1 O'Meara Road, Arima

612-4FTF (4383)

www.ftfarfan.com



FT Farfan ALG (Agriculture, Lawn and Garden) Division