

PRODUCT CATALOGUE

2026

HOMEOWNER'S EDITION





Table of Contents

01 STIHL

1. Battery-powered Blowers	4
2. Battery-powered Brushcutters	4
3. Battery-powered Hedge Trimmers	5
4. Battery-powered Chainsaws	6
5. Battery-powered Lawn Mower	6
6. Battery-powered Vacuum	6
7. Battery Accessories	7
8. Electric Equipments	8
9. Sprayers	9
10. Authorised Dealer Locations	10

02 Small Equipment

1. Generators	11
2. Lawn Mowers	12
3. Pressure Washers	13
4. Industrial Fans	14
5. Electric Compressors	15
6. Water Pump & Accessories	16
7. Small Equipment Dealer Locations	17

03 Agriculture, Lawn & Garden

1. Fertilizers	18
2. Garden Supplies	19
3. Sprayers	20

04 D.I.Y Tools & Accessories

1. Power Tools	21
----------------	----

05 Automotive

1. Batteries	22
2. Lubricants	23

STIHL



**CORDLESS
POWER.
MADE BY
STIHL.**

READY FOR ANY CHALLENGE



GTA 26



Voltage: 10.8V
Weight: 1.2kg
Working Time: 25 mins
Chain Speed: 26.3 ft/ s

Application: Domestic,
Professional Gardening

\$1,586.²⁵



MSA 160



Voltage: 36V
Weight w/o Battery: 3.1kg
Working Time: 62 mins
Battery Ranges: 180 Cuts

Saw Chain Pitch: 1/4" PM3
Application: Domestic,
Professional Gardening

*Complete with Battery & Charger

\$4,376.²⁵



FSA 57



Engine: DC Brush
Voltage: 36V
Weight w/o Battery: 2.5kg
Cutting weight: 11 in

Cutting tool: AutoCut C 2-2
Application: Domestic

\$1,901.²⁵



FSA 90



Engine: DC Brush
Voltage: 36V
Weight w/o Battery: 2.8kg
Cutting weight: 14 in

Cutting tool: AutoCut C 26-2 | AutoCut C 32-2
Application: Domestic

\$5,501.²⁵



HSA 26



Voltage: 10.8V
Weight: 0.7kg
Working Time: 110 mins
Area: 30 Boxwood Balls

Grass Cutting Attm. Length: 4.7 in
Hedge Cutting Attm. Length: 7.9 in
Stroke Per Minute: 2200
Application: Domestic, Professional Gardening

\$1,451.²⁵



HSA 30



Voltage: 10.8V
Weight: 2kg
Blade Length: 18in
Tooth Spacing: 0.86in

Working Time: 50 mins
Stroke Per Minute: 2800
Application: Domestic, Professional Gardening

\$1,293.⁷⁵



HSA 50.1



Voltage: 36V
Weight: 3.7kg
Blade Length: 20in
Tooth Spacing: 1.2in

Working Time: 50 mins
Stroke Per Minute: 2800
Application: Domestic, Professional Gardening

\$2,913.⁷⁵



ASA 20



Voltage: 11 V
Weight: 0.8 kg
Open Blade Length: 25 mm
Cutting Thickness: 25 mm

Max. Cut Per Battery Change: 2000
Application: Domestic

\$2,351.²⁵



SEA 20

Voltage: 10.8V
Weight: 1.1kg
Suction: 80 mbar
Airflow: 36 cfm

Container Capacity: 0.2 gal
Application: Domestic



\$731.²⁵



RCA 20

Voltage: 110V/ 60Hz
Weight: 1.2kg
Max pressure: 350psi
Working Time: 30 mins

Water Flow: 1 gpm
Hose Length: 16.4 ft
Application: Domestic



\$1,125.⁰⁰



REA 60

Voltage: 36V
Weight: 5.9kg
Max pressure: 1900psi
Water Flow: 1 gpm

Hose Length: 16 ft
Application: Domestic



\$4,005.⁰⁰



REA 100

Voltage: 36V
Weight: 5.9kg
Max pressure: 2200psi
Water Flow: 1.2 gpm

Hose Length: 20 ft
Application: Domestic



\$4,005.⁰⁰



BGA 30.0



Voltage: 36 V
Weight: 1.4 kg
Area: Up to 200m²

Max. Air Velocity: 43 m/ s
Air volume at nozzle: 253 cfm
Application: Domestic, Farming, Professional Gardening

*Complete with Battery & Charger

\$1,068.⁷⁵



BGA 45



Voltage: 36 V
Weight: 2 kg
Area: Up to 200m²

Max. Air Velocity: 43 m/ s
Air volume at nozzle: 247 cfm
Application: Domestic

*Built-in Battery

\$1,226.²⁵



BGA 57



Voltage: 36 V
Weight: 2.3 kg
Area: Up to 600m²

Max. Air Velocity: 55 m/ s
Air volume at nozzle: 365 cfm
Application: Domestic, Farming, Professional Gardening

*Complete with Battery & Charger

\$2,688.⁷⁵



RMA 510



Voltage: 36V
Weight w/o Battery: 27 kg
Cutting Height: 1.4 in to 3.5 in
Area Mowed: 5,100 sq. ft. (with AP 200 battery)

Grass Catcher Capacity: 75 L
Deck Width: 50.8 cm
Battery Ranges: 180 Cuts
Application: Domestic, Farming, Professional Gardening

\$5,613.⁷⁵



SGA 85

Batter-Powered Backpack Sprayer



Voltage: 36V
Weight: 6.2kg (empty tank & without battery)
Container capacity: 4.5gal/ 17L

Working Pressure: 14.5psi
Working time: Up to 500mins with AP 100 battery
Application: Domestic, Farming, Professional Gardening

\$5,951.²⁵



FSE 60

TRIMMER

Voltage: 110V/ 60Hz
Power Consumption: 540W
Weight: 3.6kg

Cutting Tool: AutoCut C 6-2
Application: Domestic

\$1,338.⁷⁵



BGE 61

BLOWER

Voltage: 120V/ 60Hz
Power Consumption: 1.1Kw
Weight: 3kg
Max. Air: 70m/ s

Air Volume at nozzle: 285 cfm
Application: Domestic

\$1,113.⁷⁵



SE 33

VACUUM

Voltage: 120V/ 60Hz
Motor output: 8.3amps
Weight: 5.3kg
Container capacity: 12L/ 3.2Gal
Suction: 84 in H2O

Airflow: 127 cfm
Suction Hose Length: 6.6 ft
Power Cord Length: 13.1 ft
Application: Domestic

\$956.²⁵



SE 62

VACUUM

Voltage: 120V/ 60Hz
Motor Output: 8.3amps
Weight: 7.5kg
Container capacity: 20L/ 5.2Gal

Suction: 84 in H2O
Suction Hose Length: 6.6 ft
Power Cord Length: 16.4 ft
Application: Domestic

\$1,912.⁵⁰



RE 80X

PRESSURE WASHER

Voltage: 220-230V
Motor: AC Brushless
Weight: 7kg
Max pressure: 1,600psi

Water throughput: 4.8L/ min
Pressure Hose Length: 16.4 ft
Application: Domestic, Farming, Professional Gardening

\$1,001.²⁵



RE 90

PRESSURE WASHER

Voltage: 120V/ 60Hz
Motor: AC Brushless
Weight: 17.6kg
Max pressure: 1,800psi
Water throughput: 4.8L/ min

Power Consumption: 1.8 Kw
Water Flow: 1.2gpm
Power Cord Length: 35 ft
Application: Domestic

\$2,025.⁰⁰



RE 110

PRESSURE WASHER

Voltage: 110V/ 60Hz
Motor: AC Brushless
Weight: 21.2kg
Max pressure: 2000psi
Water throughput: 4.8L/ min

Power Consumption: 1.7 Kw
Water Flow: 1.2gpm
Power Cord Length: 35 ft
Application: Domestic, Farming, Professional Gardening

\$2,531.²⁵



AK 30 Battery

Battery for all C-Line tools.

Voltage: 36V
Battery Capacity: 5Ah
Weight: 1.3kg

\$1,570.¹¹



AL 1 Charger

Designed for the STIHL AK Battery Systems

Voltage: 120V/ 60Hz
Power Input: 80W

Note: This tool is designed exclusively for the STIHL AK Systems.

AP Battery will fit but not recommended

\$303.⁷⁵



AS 2 Battery

Battery for HSA 26, GTA 26, R

Voltage: 10.8V
Battery Capacity: 2.6Ah
Weight: 0.2kg

\$363.⁰⁹



AL 101 Charger

Battery charger for all Battery-powered tools.

Voltage: 120V/ 60Hz
Power Input: 78W

\$618.⁷⁵



AP 200 Battery

Battery for all P-Line Cordless Units

Voltage: 36V
Battery Capacity: 4.8Ah
Weight: 1.3kg

\$1,552.⁵⁰



AL 301

Rapid Battery Charger designed for both the AP and AK Battery Systems

Voltage: 120V/ 60Hz
Power Input: 300W
Charging Current: 6.5 Amps

\$303.⁷⁵



SG 11

1.5L Hand-Held Sprayer

Power Source: Manual
Weight: 0.5kg/ 1.5L
Container Capacity: 0.4 gal
Working Pressure: 29psi

\$156.00



SG 21

3L Hand-Held Spray Can

Power Source: Manual
Weight: 1.2kg/ 3L
Container Capacity: 0.8 gal
Working Pressure: 43.5psi

\$277.00



SG 31

5L Pneumatic Spray Can

Power Source: Manual
Weight: 1.8kg/ 5L
Container Capacity: 1.32 gal
Working Pressure: 29psi

\$387.00



SG 51

12L Backpack Sprayer

Power Source: Manual
Weight: 4.5kg/ 312L
Container Capacity: 3.2 gal
Working Pressure: 40psi

\$656.00



SG 71

18L Backpack Sprayer

Power Source: Manual
Weight: 4.8kg/ 18L
Container Capacity: 4.8 gal
Working Pressure: 40psi

\$832.00

WEST

- A. Moses & Sons Ltd.
(Port Of Spain)
TEL: 623-4482
- Agricultural seedling & Supplies Company
(Aranguez)
TEL: 638-5114
- Bhagwansingh's Hardware Ltd.
(Sea Lots)
TEL: 387-0817
- Courts
1 Chacon St. | Fredrick St. (POS)
TEL: 800-4222
- Laughlin & De Gannes Ltd.
(Port Of Spain)
TEL: 625-1712
- K. Mohammed Hardware Ltd.
(Carenage)
TEL: 637-6595
- T&T Police Credit Union
(San Juan)
TEL: 624-4389

EAST

- Agri Savers Ltd.
(St. Augustine)
TEL: 663-1094
- Agritrac Ltd.
(Tacarigua)
TEL: 640-3222
- Bhagwansingh's Superstore Ltd.
(Trincity)
TEL: 386-2424
- COURTS
(Arima)
TEL: 800-4222
- Home Centre Eastern Region Ltd.
(Sangre Grande)
TEL: 668-4663/ 2713
- J. Chai Trading Company Ltd.
(Arima)
TEL: 667-2424
- J. Kasmally Farm & Garden Supplies Ltd.
(Sangre Grande)
TEL: 668-0307
- Motee & Son Garden Shop & Feed Depot
(Sangre Grande)
TEL: 668-2949
- Murphy's Hardware, Agro and Pet Supplies
(Arima)
TEL: 793-2497
- R&K Hardware, Agricultural & General Supplies Ltd.
(Piarco)
TEL: 669-1822
- Zam Industries Ltd.
(D'abadie)
TEL: 642-7073

CENTRAL

- Bhagwansingh's Hardware Ltd.
(Chaguanas)
TEL: 235-5571
- Central Chemicals & Agricultural Supplies Ltd.
(Chaguanas)
TEL: 671-3938
- COURTS
(Curepe | Chaguanas)
TEL: 800-4222
- Ramlagan's General Hardware & Electrical
(Couva)
TEL: 636-7624

SOUTH

- Agrogen Ltd.
(Penal)
TEL: 647-8853 / 647-7456
- Allied HOME CENTRE
(San Fernando)
TEL: 652-6900
- Amcol Ltd.
(Americas Marketing Company Ltd.)
(Penal)
TEL: 339-9200
- Amnesty Ltd.
(Williamsville)
TEL: 656-9917
- Bhagwansingh's Hardware Ltd.
(Marabella)
TEL: 235-5571
- C&A Agro Chemicals and Hardware
(Moruga)
TEL: 656-6621
- COURTS
(South Park | Princes Town | Point Fortin)
TEL: 800-4222
- Dansteel Ltd.
(San Fernando)
TEL: 235-5202
- De Coteau's Tool Rentals, Small Engine Parts and Repairs
(Point Fortin)
TEL: 274-1207
- D&S Pet & Agro Supplies Ltd.
(Fyzabad)
TEL: 328-7739
- EZ Builders Enterprise
(Princes Town)
TEL: 222-1496
- Laughlin & De Gannes Ltd.
(San Fernando)
TEL: 652-4291
- Persad's Home Improvement Store Ltd.
(Debe)
TEL: 647-5446
- Rio Claro Feed & Agro Supplies
(Rio Claro)
TEL: 644-2292
- R&P Agro & Hardware Supplies Ltd.
(Barrackpore)
TEL: 325-2516
- St. Julien's Agro Shop Ltd.
(New Grant)
TEL: 297-4454
- Tazmool Hosein & Sons Ltd.
(Princes Town)
TEL: 655-2408
- The Agritec Agricultural Supplies Ltd.
(Siparia)
Tel: 649-9952 | Tel: 648-2834
- V. Bissessar Agricultural Supplies Ltd.
(San Fernando | New Grant)
TEL: 657-1338

TOBAGO

- COURTS
(Lowlands)
TEL: 800-4222
- Mc Conney's Home Depot Ltd.
(Richmond)
TEL: 660-4514
- Protran 97 Ltd.
(Carnbee)
TEL: 660-8189
- Paradise Stores Ltd.
(Scarborough)
TEL: 639-3479
- The Tool kloset
(Scarborough)
TEL: 784-8665
- V. BissesSar Agricultural Supplies LTD.
(Sherwood Park, Carnbee)
TEL: 657-1338

DISCLAIMER

Product availability will vary at Dealer locations nationwide. Contact the individual Dealer for product availability and pricing, as prices are subject to change. Prices are VAT inclusive and subject to change.

 **PEDROLLO**[®]
the spring of life




MADE IN ITALY



SMALL EQUIPMENT



 **ARIENS**[®]
A WALK-BEHIND THAT'S FORWARD-THINKING.



2300w Inverter Generator

LC2300i

Lightweight, easy-start unit, equipped with an ECO Mode

Engine: 79cc LC148F/ Pull-Start Gas Engine with 1.05 gallon fuel tank.

Watts: Starting 2300W | Running 1800W

Run Time: 50% load is 6.3 hrs

Outlets: (2) 110V

\$4,741.⁸⁷

Domestic



4500w Inverter Generator

LC4500i

Lightweight, easy-start unit, equipped with an ECO Mode

Engine: 212cc LC173FD-3 Electric/ Pull-Start Gas Engine with 2.64 gallon fuel tank.

Watts: Starting 4500W | Running 3500W

Run Time: 50% load is 8.0 hrs

Outlets: (2) 110V

\$6,511.⁰⁰

Domestic



3500w Gasoline Generator

LC3500DS

Professional, waterproof, open-frame generator with compact structure and low noise emission.

Engine: 212cc G210FDA/ Pull-Start Gas Engine with 3.96 gallon fuel tank.

Watts: Starting 3300W | Running 3000W

Run Time: 50% load is 15.0 hrs

Outlets: (2) 110V

\$3,599.⁹⁹

Commercial



6500w Gasoline Generator

LC6500D-DCS

Professional, waterproof, open-frame generator with compact structure and low noise emission.

Engine: 389cc LL188FD Electric/ Pull-Start Gas Engine with 6.6 gallon fuel tank.

Watts: Starting 5500W | Running 5000W

Run Time: 50% load is 9.0 hrs

Outlets: (2) 110V | (1) 220V

\$7,649.⁹⁹

Commercial



10,000w Gasoline Generator W/ATS

LC10000D-DCS

Professional, waterproof, open-frame generator with compact structure and low noise emission.

Engine: 459cc LC192FD Electric/ Pull-Start Gas Engine with 6.6 gallon fuel tank.

Watts: Starting 8500W | Running 7800W

Run Time: 50% load is 8.0 hrs

Outlets: (2) 110V | (1) 220V

\$9,562.⁵⁰

Commercial



GENERATORS

Diesel Engine



20kW Home Standby Generator

A065D231/ C20N6HC

The RS20AC home standby generator connects permanently to your house through the Automatic Transfer Switch and LPG tanks. It monitors the power company distribution lines 24/7, then automatically starts and runs when it detects an outage and continues to run until the utility restores power.

Quiet Connect™ Series 20kW RS20AC with 200-Amp, Service-Entrance-Rated, NEMA 3R Indoor/Outdoor Automatic Transfer Switch supplies your entire home during an outage.

Starting at:

\$66,950.00

Warranty: 5 Year | Domestic



35kW Diesel Generator

C35 D6

This Cummins® commercial generator set is a fully integrated power generation system, providing optimum performance, reliability, and versatility for Stationary Standby, Prime Power, and Continuous Duty applications.

- 115/ 230V, 3phase (reconfigurable)
- Large fuel tank for maximum run time - 170 litres
- Digital controller for easy of use
- Weather-proof and sound insulated enclosure

\$91,600.00

Warranty: 2 Year | Commercial



LAWN MOWERS



EDGE 42 Ride-On Zero-Turn Lawn Mower

Featuring a 42" fabricated deck constructed of strong 11-gauge steel. Foot-operated deck lift, high-back seat with seat springs, sealed ball bearings.

Engine: Briggs & Stratton® EXi2000 - 656cc
Cutting Width: 42"
Cutting Height: 1.5" to 4.5"
Cutting Positions: 13

Ground Speed: 7 mph
Fuel Capacity: 2.8 gal/ 10.5L

\$39,363.75

Warranty: 3 Year | Domestic



IKON 52 Ride-On Zero-Turn Lawn Mower

Featuring a 52" cutting width, 11-gauge 4 1/2" deep fabricated deck designed for optimized airflow. Plus, moulded armrests for extra comfort.

Engine: Kawasaki® FR691V - 726cc
Cutting Width: 52"
Cutting Height: 1.5" to 4.5"
Cutting Positions: 13

Ground Speed: 7 mph
Fuel Capacity: 3.5 gal/ 13.25L

\$44,988.75

Warranty: 3 Year | Domestic

SMALL in size. **BIG** in Power!

Introducing The Hyundai 25kW Diesel Generator

50% Smaller than comparable diesel generators



FREE

\$65,000 VAT INCLUSIVE

Ideal for homes & small businesses

First Service FREE

Compact size

8+ hours run time

Available now at FT Farfan San Juan & San Fernando

HYUNDAI
POWER PRODUCTS

☎ 1 (868) 612 4FTF (4383)

📱 @FTFISP

FT FARFAN
APPROPRIATE
TECHNOLOGY
LIMITED

**21" Push Mower with Side Discharge****RMP53Q-V145-S**

Best for small-to-medium sized yards up to 1/2 acre with flat terrain.

Engine:	144cc 4-stroke petrol engine	Height Adjustment:	5 Positions
Gross Power:	2.9kw/ 4.0hp	Wheels:	7" front/ 11" rear
Fuel Type:	Gasoline		
Cutting Height:	1.2-3.4 inches		

\$0000.00

Warranty: 1 Year

**3-IN-1 21" Push Mower with Side Discharge****RMP53Q-V190**

Suitable for cutting, bagging, and mulching and best for small-to-medium sized yards with flat lawn.

Engine:	190cc 4-stroke petrol engine	Height Adjustment:	7 Positions
Gross Power:	3.2kw/ 4.5hp	Wheels:	8" front/ 10" rear
Fuel Type:	Gasoline		
Cutting Height:	1.2-3.7 inches		

\$2,812.48

Warranty: 1 Year

**TORQUE | 4-IN-1 21" Self-Propelled Mower w/ Side Disc.****RMS53Q-V190**

Suitable for cutting, bagging, and mulching. The push drive system manoeuvres easily around landscaping.

Engine:	190cc 4-stroke petrol engine	Height Adjustment:	7 Positions
Gross Power:	3.2kw/ 4.5hp	Wheels:	8" front/ 10" rear
Fuel Type:	Gasoline		
Cutting Height:	1.2-3.7 inches		

\$3,374.99

Warranty: 1 Year



21" Wet/ Dry Vacuum

YLW6342-30L

Best for small-to-medium sized yards up to 1/2 acre with flat terrain.

Motor Power:	1200w	Max. Suction Power:	≥130
Voltage/ Frequency:	120V/ 60Hz	Sounder Power Noise:	≥93
Max. Vacuum Pressure:	18±2	Bucket Capacity:	30 Litres
Max. Air flow:	1.7±0.15	Bucket Material:	Metal

\$0000.00

Warranty: 1 Year | Domestic

Electric



1600 Psi Pressure Washer (1.72 gpm, 110v)

YLQ450BH-130C

Commercial grade with forged axial pump, thermal protection and detergent injector.

Max. Pressure (bar):	130 (bar)	Rated Pressure (bar):	87
Rated Flow (L/ Min):	5.2 (L/ Min)	Motor Size:	1600
Working Pressure (bar):	93-103 (bar)	Max. PSI:	1885
Working Flow (L/ Min):	4.4 + 0.4 (L/ Min)		

\$899.94

Warranty: 1 Year | Domestic



2465 Psi Pressure Washer (1.72 gpm, 110v)

YLQ4503H-130C

Commercial grade with forged axial pump, thermal protection and detergent injector.

Max. Pressure (bar):	170 (bar)	Rated Pressure (bar):	115
Rated Flow (L/ Min):	6.5 (L/ Min)	Motor Size:	2500
Working Pressure (bar):	130-160 (bar)	Max. PSI:	2465
Working Flow (L/ Min):	4.1 + 0.4 (L/ Min)		

\$1,462.44

Warranty: 1 Year | Domestic



2600 Psi GAS Pressure Washer (2.5gpm)

DCAC-18/ 9JV

Domestic unit with forged axial pump, thermal protection, and detergent injector.

Engine: 6.5hp/ 196cc Vertical Gas Engine
Watts: Starting 2300W | Running 1800W
Run Time: 50% load is 6.3 hrs
Outlets: (2) 110V

\$3,278.²⁴

Warranty: 1 Year | Domestic



2800 Psi GAS Pressure Washer (3.0gpm)

DCAA-19/ 11JB

Commercial grade with forged axial pump, thermal protection and detergent injector.

Engine: 6.5hp/ 196cc OHV Gas Engine
Watts: Starting 3300W | Running 3000W
Run Time: 50% load is 15.0 hrs
Outlets: (2) 110V

\$3,594.³⁷

Warranty: 1 Year | Domestic/ Light Commercial



3200 Psi GAS Pressure Washer (3.3gpm)

DCC-22/ 12A

Engine: 7.5hp/ 223cc R225 RATO Gas Engine with Commercial Triplex Pump.
Watts: Starting 8500W | Running 7800W
Run Time: 50% load is 8.0 hrs
Outlets: (2) 110V | (1) 220V

· 10m Braided Hose · Professional Gun & Lance

\$4,556.²⁵

Warranty: 1 Year | Domestic

ACCESSORIES FOR TORQUE PRESSURE WASHERS

Part No.	Description	Price (V.I.)
06.22.01.0751	24" Pressure Washer Wand	\$97.⁸⁶
05.06.01.1901	Soap/ Chemical Tubing Kit	\$22.⁴⁹
06.21.04.2110	Pressure Washer Pro Gun 3300psi	\$222.⁷⁴
06.50.01.0130	Replacement Tips 5000psi (4/ pk)	\$68.⁰⁰
05.13.12.0320	15" Rotary Surface Cleaner	\$584.⁹⁹



36" Drum Fan

FE-90D3FOL(E)

Voltage:	120V-60Hz	HP:	3/5	Speed:	2
Watts:	475	Amps:	4.5	Rpm:	1100
Cfm:	11200	Noise:	77	Power Cord:	10ft SJT-type
Drive:	Direct Drive	Motor Type:	PSC-Open Air Over	Wheel:	6in Rubber

\$4,048.⁸⁷

Warranty: 1 Year | Domestic/ Light Commercial



25" Oscillating High Velocity Pedestal Fan

FO-65S1FOL(2H)

Voltage:	120V-60Hz	HP:	1/4	Speed:	3
Watts:	185	Amps:	1.5	Rpm:	1100
Cfm:	7200	Noise:	68	Power Cord:	10ft SJT-type
Adj. Height:	Ext. Tube	Motor Type:	PSC-Open Air Over	Oscillating Angle:	75°

\$1,732.⁵⁰

Warranty: 1 Year | Domestic/ Light Commercial



30" Oscillating High Velocity Pedestal Fan

FO-75S1FOL(2H)

Voltage:	120V-60Hz	HP:	1/3	Speed:	3
Watts:	220	Amps:	1.8	Rpm:	1100
Cfm:	8400	Noise:	71	Power Cord:	10ft SJT-type
Adj. Height:	Ext. Tube	Motor Type:	PSC-Open Air Over	Oscillating Angle:	75°

\$1,811.²⁵

Warranty: 1 Year | Domestic/ Light Commercial



30" Oscillating Wall Mount Fan

FO-75G2FOL(2H)

Voltage:	120V-60Hz	HP:	1/3	Speed:	3
Watts:	220	Amps:	1.8	Rpm:	1100
Cfm:	8400	Noise:	71	Power Cord:	10ft SJT-type
Vert. Tilting Angle:	25°	Motor Type:	PSC-Open or Enclosed	Oscillating Angle:	75°

\$1,462.⁵⁰

Warranty: 1 Year | Domestic/ Light Commercial

1 HP Electric Compressor

ZBW64-8F



Voltage: 120V	HP: 1	Theoretic Displacement: 131L/ min
Power: 0.75Kw	Speed: 1450 Rpm	
Cfm: 4.63	Work Pressure: 8 Bar-116psi	
Tank: 8L/ 2.1 Gal	Dimensions (cm): 58L x 25.5 x 58H	

\$1,406.²⁴

Warranty: 1 Year | Domestic/ Light Commercial

1.5 HP Electric Compressor

ZBW60-24L



Voltage: 120V	HP: 1.5	Theoretic Displacement: 195L/ min
Power: 1.1Kw	Speed: 3450 Rpm	
Cfm: 6.9	Work Pressure: 8 Bar-116psi	
Tank: 24L/ 6.3 Gal	Dimensions (cm): 59L x 28.5W x 63H	

\$1,518.⁷⁴

Warranty: 1 Year | Domestic/ Light Commercial

2 HP Electric Compressor

BM-50L



Voltage: 120V	HP: 2	Theoretic Displacement: 196L/ min
Power: 1.5Kw	Speed: 3450 Rpm	
Cfm: 6.9	Work Pressure: 8 Bar-116psi	
Tank: 15L/ 13 Gal	Dimensions (cm): 77L x 33W x 74H	

\$1,856.²⁴

Warranty: 1 Year | Domestic/ Light Commercial

3 HP Electric Compressor

VD65-120L



Voltage: 120V	HP: 3	Theoretic Displacement: 96391L/ min
Power: 2.2Kw	Speed: 1280 Rpm	
Cfm: 13.8	Work Pressure: 8 Bar-116psi	
Tank: 120L/ 13.7 Gal	Dimensions (cm): 709L x 46W x 97H	

\$5,116.⁶⁰

Warranty: 1 Year | Domestic/ Light Commercial

Peripheral Pump with Electronic Head


1/2 HP - XKM60-1+PS-04A

Inlet/ Outlet: 1" x 1"
Max. Flow: 25L/ Min
Outlet: 110V
Max Head: 22m
Suction Lift: 8m

\$843.⁷⁴
1 HP - XKM80-1+PS-04A

Inlet/ Outlet: 1" x 1"
Max. Flow: 50L/ Min
Outlet: 110V
Max Head: 42m
Suction Lift: 9m

\$1,165.⁴⁹

· Flow rate up to 40L/Min · Head up to 40m

Jet Pump with Electronic Head


1/2 HP - XJm61C+PS-04A

Inlet/ Outlet: 1" x 1"
Max. Flow: 40L/ Min
Outlet: 110V
Max Head: 38m
Suction Lift: 9m

\$1,158.⁷⁴
3/4 HP - XJm81C+PS-04A

Inlet/ Outlet: 1" x 1"
Max. Flow: 40L/ Min
Outlet: 110V
Max Head: 38m
Suction Lift: 9m

\$1,327.⁴⁹
1 HP - XJM101C+PS-04

Inlet/ Outlet: 1" x 1"
Max. Flow: 50L/ Min
Outlet: 110V
Max Head: 42m
Suction Lift: 9m

\$1,394.⁹⁹

· Flow rate up to 40L/Min · Head up to 36m · Copper Winding · Noryl Impeller · Standard Steel Shaft

Jet Pump with Pressure Tank


1/2 HP - XJm61C-19V/1

Inlet/ Outlet: 1" x 1"
Max. Flow: 40L/ Min
Outlet: 110V
Max Head: 38m
Suction Lift: 9m

\$1,349.⁹⁹
3/4 HP - XJm81C-19V/1

Inlet/ Outlet: 1" x 1"
Max. Flow: 40L/ Min
Outlet: 110V
Max Head: 38m
Suction Lift: 9m

\$1,496.²⁴
1 HP - XJM101C-19V/1

Inlet/ Outlet: 1" x 1"
Max. Flow: 50L/ Min
Outlet: 110V
Max Head: 42m
Suction Lift: 9m

\$1,574.⁹⁹

· Flow rate up to 40L/Min · Head up to 36m · Copper Winding · Noryl Impeller · Standard Steel Shaft

Submersible Sewage Pump


LSWM50A

Max Flow: 200L/ Min
Max Head: 8.5m
Outlet: 110V
Suction Lift: 8m

\$1,237.⁴⁹

SMART STREAM | Pressure Tanks


8L
\$.
50L
\$1,259.⁹⁹
150L
\$3,217.⁴⁹
19L
\$480.³⁸
80L
\$1,878.⁷⁴



Electronic Pump Controller

PS-04A

Starting Pressure Setting: 1.2 bar/ 1.5/ 2.2 bar
Outlet: 110V/ 10A/ 60Hz
Connection Thread: 1"
Max. Operating Pressure: 10 bar

Note: Pumps installed with an electronic head should be used with a surge protector.

\$371.²⁴

Electronic Switch

PS-02A



Rated Voltage:	110-120V AC	Max. Working Temp.:	60° C
Min. Cut-in:	1 Bar/ 14.5psi	Max. Current:	20A
Protection Class:	IP20	Max. Power:	1.6kW
Rated Frequency:	60Hz	Screw Size:	Female: NPT1/ 4
Max. Cut-out:	7 Bar/ 101.5psi	Start/ Stop Pressure:	1.4 Bar/ 20psi - 2.8 Bar/ 40psi

\$101.²⁴

Electronic Pump Controller

PS-04C



Rated Voltage:	110-120V AC	Max. Working Temp.:	60° C
Max. Working Pressure:	10 Bar	Max. Current:	20A
Protection Class:	IP54	Max. Power (P1):	0.55kW (110-120V AC)
Rated Frequency:	60Hz	Screw Size:	1"
Max. Cut-out:	7 Bar/ 101.5psi	Starting Pressure:	1.2 Bar

\$393.⁷⁴

Voltage Surge Protectors



120V

Ideal for:

- Water Pumps
- Refrigerators
- Electric kettles
- Washing machines
- Motors for domestic equipment/appliances

\$88.⁹⁰

220V

Ideal for:

- Water Pumps
- Air conditioning up to 27,000 btu
- Motors for equipment/ appliances rated up to 20Amps

\$134.⁹⁰

Pressure Gauge

PG-P60R



- 60mm x 1/4"m Thread
- Radial Design with Plastic Body
- 0-6 Bar Pressure Rating

\$37.¹¹

5-Way 1" Brass Connector

5TA



\$61.⁸⁶

Self-Priming Jet Pump



½ HP - JSWM 1CX-110V

Inlet/ Outlet: 1" x 1"
Max. Flow: 60L/ Min
Outlet: 110V
Max Head: 30m
Suction Lift: 9m

\$1,445.⁶³

¾ HP - JSWM 1AX-110V

Inlet/ Outlet: 1" x 1"
Max. Flow: 60L/ Min
Outlet: 110V
Max Head: 43m
Suction Lift: 9m

\$1,580.⁶¹

1 HP - JSWM 2CX-110V

Inlet/ Outlet: 1" x 1"
Max. Flow: 70L/ Min
Outlet: 110V
Max Head: 47m
Suction Lift: 9m

\$1,636.⁸⁸

· Flow rate up to 40L/Min · Head up to 40m

Self-Priming Jet Pump with 18L Pressure Tank



½ HP - JSWM 1CX-18VT-1

Inlet/ Outlet: 1" x 1"
Max. Flow: 60L/ Min
Outlet: 110V
Max Head: 30m
Suction Lift: 9m

\$1,951.⁸⁸

¾ HP - JSWM 1CX-18VT-1

Inlet/ Outlet: 1" x 1"
Max. Flow: 60L/ Min
Outlet: 110V
Max Head: 43m
Suction Lift: 9m

\$2,126.²⁵

1 HP - JSWM 2CX-18VT-1

Inlet/ Outlet: 1" x 1"
Max. Flow: 70L/ Min
Outlet: 110V
Max Head: 47m
Suction Lift: 9m

\$2,306.²⁵

Self-Priming Jet Pump Package with Easy Press Electronic Pump Controller



½ HP - JSWM 1CX-EZP-1

Inlet/ Outlet: 1" x 1"
Max. Flow: 60L/ Min
Outlet: 110V
Max Head: 30m
Suction Lift: 9m

\$1,911.³⁸

¾ HP - JSWM 1AX-EZP-1

Inlet/ Outlet: 1" x 1"
Max. Flow: 60L/ Min
Outlet: 110V
Max Head: 43m
Suction Lift: 9m

\$2,205.⁰⁰

1 HP - XJSWM 2CX-EZP-1

Inlet/ Outlet: 1" x 1"
Max. Flow: 70L/ Min
Outlet: 110V
Max Head: 47m
Suction Lift: 9m

\$2,396.²⁵

Top Floor | Submersible Drainage Pump



Top Floor 2 - 2mm/ 0.5HP

Flow Rate: 360L/ Min
Drainage: 2mm
Max. Head: 15.5m
Outlet: 110V
Max. Operating Depth: Up to 3m

\$1,693.¹¹

Top | Submersible Pump



Top 1 - 10mm/ 0.33HP

Flow Rate: 3600L/ Min
Drainage: 14mm
Max. Head: 15.5m
Outlet: 110V
Max. Operating Depth: Up to 3m

\$1,811.²⁴

Top 2 - 10mm/ 0.5HP

Flow Rate: 360L/ Min
Drainage: 14mm
Max. Head: 14.5m
Outlet: 110V
Max. Operating Depth: Up to 3m

\$1,862.⁹⁹

Top 2 Vortex | Submersible Drainage Pump



Top 2 - 0.5HP
Flow Rate: 170L/ Min
Drainage: 25mm
Max. Head: 8.7m
Outlet: 110V
Max. Operating Depth: Up to 3m

\$1,787.⁶¹

Top 3 - 0.75HP
Flow Rate: 170L/ Min
Drainage: 14mm
Max. Head: 8.7m
Outlet: 110V
Max. Operating Depth: Up to 3m

\$2,080.¹¹

ACCESSORIES FOR PEDROLLO WATER PUMPS

Part No.	Description	Price (V.I.)
5001410	Float Switch 10 Meters - 10 Amps Rated	\$270.⁰⁰
50015	Pressure Gauge Mr 6 - 6 Bar Rated W/1/4" Thread	\$39.²⁶
50016	5 Way Brass Connector - 1" & 1/4" Thread	\$67.³⁹
50018	Square D Pressure Switch Fsg 2 - 1.4-2.8 Bar/20-40 Psi	\$165.²⁶
50066/ 215U1P	Easy Press W/Pressure Gauge - 115v Elect. Pump Cont. 2hp 16a	\$646.⁸⁸
11A0001800	Vertical Pressure Tank 18L - 3/4" Npt W/Fixed Bladder	\$543.¹⁵
11A0001807	Vertical Pressure Tank 18L - 1" Npt Thread W/Fixed Bladder	\$543.⁹⁹
11A0005000	Vertical Pressure Tank 50L - 1" Npt Thread W/Fixed Bladder	\$1,749.³⁸
11A0008000	Vertical Pressure Tank 80L - 1" Npt Thread W/Fixed Bladder	\$1,968.⁷⁵
11A0015000	Vertical Pressure Tank 150L - 1-1/4" Npt W/Fixed Bladder	\$4,297.⁵⁰
11A0020000	Vertical Pressure Tank 200L - 1-1/4" Npt W/Fixed Bladder	\$4,792.⁵⁰
11A0030000	Vertical Pressure Tank 300L - 1-1/4" Npt W/Fixed Bladder	\$6,377.⁶³
11A0040000	Vertical Pressure Tank 400L - 1-1/4" Npt W/Fixed Bladder	\$8,886.³⁸



Scan the QR code
for Dealer Locations

DEALER LOCATIONS (Small Equipment)

WEST

- A. Moses & Sons Ltd.
TEL: 623-4482
- Bhagwansingh's Hardware
(Port of Spain)
TEL: 235-6200
- Roger Mohammed Electrical &
Plumbing Supplies
(Diego Martin)
TEL: 742-2833
- Unicomer (Trinidad) Ltd.
(All Location)

EAST

- Agri Savers Ltd.
(St. Augustine)
TEL: 663-1094/ 326-3236
- D. Power Pros Electrical and
Plumbing Supplies Ltd.
(El Dorado)
TEL: 710-4080/ 478-7767
- Interchem Ltd.
(Barataria)
TEL: 638-3800
- R&K Hardware, Agricultural &
General Supplies Ltd.
(Piarco)
TEL: 669-1822
- Agricultural Supplies &
Seedling Company
(Sanj Juan)
TEL: 638-5114
- Grow Rite Plant & Garden
(San Juan)
TEL: 356-2667
- Larry Holder Electrical Ltd.
(San Juan)
TEL: 674-9992/ 339-9119
- S & S Agri Center Company Ltd.
(Sangre Chiquito)
TEL: 373-6539
- Bhagwansingh's Superstore Ltd.
(Trincity)
TEL: 291-5511/ 319-8916
- Hare Krishna Seedlings
(Aranguez)
TEL: 785-2026
- Motee & Son Garden Shop
(Sangre Grande)
TEL: 668-2949/ 678-9810
- Second Crossing Hardware
(Arouca)
TEL: 642-0076/ 9559

CENTRAL

- Bhagwansingh's Hardware Ltd.
(Chaguanas)
TEL: 387-0819
- Pt. Lisas Steel Products
(California)
TEL: 636-7991
- Rena Bridglal Hardware Ltd.
(Warrenville)
TEL: 234-1657
- Southern Chemicals & Agri
(Chaguanas)
TEL: 665-1315
- Central Chemicals &
Agricultural Supplies Ltd.
(Chaguanas)
TEL: 671-3938/ 389-9271
- Ramlagan's General Hardware
and Electrical
(Couva)
TEL: 636-7624/ 478-5558
- SC Plumbing Access & Hardware
(Chaguanas)
TEL: 712-6653
- The Capital Equipment Store
(Chaguanas)
TEL: 610-7204

SOUTH

- Agrogenics
(Penal)
TEL: 338-6234/ 267-1893
- Bertram Manhin Ltd.
(San Fernando)
TEL: 652-2327/ 653-6120
- Lenny Sumadh
(San Fernando)
TEL: 652-2930/ 235-5272
- Renee's Plumbing & Electrical
(Princes Town)
TEL: 718-4313
- Allied Industrial Supplies Ltd.
(San Fernando)
TEL: 652-6900
- Buysmart Homestore Ltd.
(San Fernando)
TEL: 305-7153
- Multiproducts Sales &
Marketing Ltd.
(Marabella)
TEL: 221-7190
- Rio Claro Electrical
(Rio Claro)
TEL: 644-1786/ 620-3379
- Americas Marketing
Company Ltd.
(Penal)
TEL: 647-5411
- C & A Agro Chemicals &
(Moruga)
TEL: 656-6621
- N. Ramrattan Hardware &
General Supplies Ltd.
(Rio Claro)
TEL: 644-0327
- SSL Induserve Ltd.
(San Fernando)
Tel: 235-4775
- Arc Rite Ltd.
(San Fernando)
TEL: 235-4272
- D. Enterprise Feed Depot Ltd.
(Penal)
TEL: 647-8613/ 377-3813
- Persad's Home Improvement
(Debe)
TEL: 647-5446/ 647-2652
- V. Bissessar Agricultural
(San Fernando)
TEL: 657-1338
- B. Ramkissoon Hardware Ltd.
(Rio Claro)
TEL: 644-2229/ 0350/ 2436
- Dansteel Ltd.
(La Romain)
TEL: 235-5202
- R&P Agro & Hardware
(Barrackpore)
Tel: 328-2516
- VJ's Small Engine Repairs
(Barrackpore)
TEL: 385-3682
- Banyamadh'o's General
Construction
(Princes Town)
TEL: 225-9540/ 492-2663
- Gasparillo Shopping Mart &
Agr-Centre
(Gasparillo)
TEL: 650-5255
- Ramroop's Industrial & Welding
(Claxton Bay)
TEL: 659-1342/ 730-9076
- Welding Depot & Industrial
(Vistabella)
TEL: 653-5106

TOBAGO

- COURTS
(Lowlands)
TEL: 800-4222
- Mc Conney's Home
Depot Ltd.
(Richmond)
TEL: 660-4514
- Protran 97 Ltd.
(Carnbee)
TEL: 660-8189
- Paradise Stores Ltd.
(Scarborough)
TEL: 639-3479
- The Tool klost
(Scarborough)
TEL: 784-8665
- V. Bissessar Agricultural
Supplies Ltd.
(Carnbee)
TEL: 657-1338

DISCLAIMER

Product availability will vary at Dealer locations nationwide. Contact the individual Dealer for product availability and pricing, as prices are subject to change. Prices are VAT inclusive and subject to change.



AGRICULTURE, LAWN & GARDEN





Super Starter 225g

TG094515-225

Water Soluble, 9-45-15

\$25.00



Super Starter 500g

TG094515-500

Water Soluble, 9-45-15

\$50.00



All Purpose 225g

TG153015-225

Water Soluble, 5-30-15 Plus

\$25.00



All Purpose 500g

TG153015-500

Water Soluble, 15-30-15

\$50.00



Lawn & Turf 225g

TG240715-225

Water Soluble, 24-7-15 Plus

\$25.00



Lawn & Turf 500g

TG240715-500

Water Soluble, 24-7-15 Plus

\$50.00



Tomato Fertilizer 225g

TG041838-225

Water Soluble, 4-18-38 Plus
Hydroponic & Greenhouse

\$25.00



Tomato Fertilizer 500g

TG041838-500

Water Soluble, 4-18-38 Plus
Hydroponic & Greenhouse

\$50.00



Herb Fertilizer 225g

TG042039-225

Water Soluble, 4-20-39 Plus
Hydroponic & Greenhouse

\$25.00



Herb Fertilizer 500g

TG042039-500

Water Soluble, 4-20-39 Plus
Hydroponic & Greenhouse

\$50.00



Lettuce Fertilizer 500g

TG081536-500

Water Soluble, 8-15-36 Plus
Hydroponic & Greenhouse

\$50.00



Bloom Booster 500g

TG074017-500

Water Soluble, 7-40-17 Plus
Hydroponic & Greenhouse

\$50.00



Small Compression Sprayer

310135

Seals: EPDM **Capacity of use:** 0.4 Gal/ 1.5L
Resistant to: Acetone
Total Capacity: 0.53 Gal/ 2.0L

\$170.00



Backpack Sprayer SW04, 5.3 Gal

289176

Spray Wand: Fibreglass 20.5"/ 52cm **Shut-off valve:** Professional ergonomic
Tank Capacity: 5.3 Gal/ 20L **Pumping System:** Internal piston with agitator
Nozzle: Adjustable plastic **Hose:** Double braided fibrevinyl reinforced 3/8" (95.25mm) 43" (1.1m) long

\$190.00



Backpack Sprayer MX07, 4 Gal

189185

Spray Wand: Fibreglass 20.5"/ 52cm **Shut-off valve:** Professional ergonomic with filter
Tank Capacity: 4 Gal/ 15L **Pumping System:** Internal piston with agitator
Nozzle: Adjustable plastic **Hose:** Double braided fibrevinyl reinforced 3/8" (95.25mm) 51" (1.3m) long

\$200.00



Backpack Sprayer MX08, 5.3 Gal

289185

Spray Wand: Fibreglass 20.5"/ 52cm **Shut-off valve:** Professional ergonomic with filter
Tank Capacity: 5.3 Gal/ 20L Gal/ 15L **Pumping System:** Internal piston with agitator
Nozzle: Adjustable plastic **Hose:** Double braided fibrevinyl reinforced 3/8" (95.25mm) 51" (1.3m) long

\$200.00



D.I.Y. TOOLS & ACCESSORIES





4 1/2" ANGLE GRINDER (DIA)

6130-33

Voltage: 7.0A/ 120V

Speed: 1200 rpm

\$838.¹³



14" ABRASIVE CUT-OFF MACHINE

6177-20

Voltage: 15 Amp

Speed: 3900 rpm

Max. HP 4.0

\$2,162.²⁵



5" RANDOM ORBITAL SANDER

6034-21

Voltage: 3.0A/ 120V

Vacuum attachment included

\$1,010.²⁵



7 1/4" CIRCULAR SAW (ECON)

6430-20

Voltage: 15A/ 120V

Cutting Depth: 2 3/8"

\$1,247.⁹⁶



AUTOMOTIVE



MULLU
BATTERY


BATTERY APPLICATION CHART

Mutlu Part No.	Plates	Name	Box Style	CCA (SAE) @ -18°C	HCA @ 27°C	CA @ 0°C	RC, mins	Amp, Hrs, Ah	Height, inches
SMF42B19FL	11	NS40L	B20	390	585	487.5	60	42	8.7
SMF55B24L	13	NS60L	B24	480	720	600	95	55	8.7
SMF55B24R	13	NS60R	B24	480	720	600	95	55	8.7
SMF55D23FL	13	55D23	D23	480	720	600	100	60	8.8
SMF80D26FL	15	N50L / NS70L	D26	680	1020	850	120	75	8.8
SMF80D26FR	15	N50R / NS70R	D26	680	1020	850	120	75	8.8
SMF56077	11	DIN45	LB2	540	810	675	100	60	6.9
SMF57572	15	DIN66	LB3	750	1125	937.5	125	75	6.9
SMF58014	15	DIN88	LB4	780	1170	975	130	80	6.9
SMF60038	20	DIN100	L5	880	1320	1100	160	100	7.5
SMF60044	20	DIN100	L5	880	1320	1100	160	100	7.5
SMF115D31FL	17	N70L	D31	800	1200	1000	160	100	8.8
SMF115D31FR	17	N70R	D31	800	1200	1000	160	100	8.8
HTGR31.115.100.E	17		GR31	1050	1575	1312.5	250	115	9.5
MF65024	21	N150	D5	1050	1575	1312.5	300	150	8.8
MF63533	21	N120	D4	1000	1500	1250	320	135	8.8
SMF68035	29	N150	D5	1250	1875	1562.5	380	180	8.8
SMF72540	33	N200	D6	1450	2175	1812.5	450	225	9.5

CALL 800-VOLT

For All Battery Emergencies



JUMPSTART SUPPORT



BATTERY DIAGNOSIS



NEW BATTERY DELIVERY AND INSTALLATION



WARRANTY SUPPORT

**ONE CALL. 24/7 SUPPORT.
POWERED BY MUTLU.**

MUTLU
BATTERY



Distributed by:

FT FARFAN
APPROPRIATE
TECHNOLOGY
LIMITED

A MEMBER OF THE BRYDEN GROUP OF COMPANIES





Vecton | Synthetic Blend with System Pro Technology for Commercial and Heavy-Duty Diesel Engines

- VECLD15W40CK4205**
Vecton LD 15W-40 CK-4/ E9
- VECLD15W40CK4221**
Vecton LD 15W-40 CK-4/ E9
- VECLD15W40CK4224**
Vecton LD 15W-40 CK-4/ E9
- VECLD15W40CK4241**
Vecton LD 15W-40 CK-4/ E9



CRB | Mineral Motor Oil for Commercial and Heavy-Duty Diesel Engines

- CRB40CF221**
CRB Monograde 40
- CRBMU15W40CK4221**
CRB Multi 15W-40
- CRBMU15W40CK4173**
CRB Multi 15W-40
- CRB50CF221**
CRB Monograde 50
- CRB50CF241**
CRB Monograde 50
- CRBMU15W40CK4224**
CRB Multi 15W-40




CRB Turbomax | Mineral Motor Oil for Commercial and Heavy-Duty Diesel Engines

- CRBTM15W-40CI4224**
CRB Turbomax 15W-40
- CRBTM15W-40CI4221**
CRB Turbomax 15W-40
- CRBTM15W-40CI4173**
CRB Turbomax 15W-40



HD | Premium Monograde Oils that are Engineered for Greater Protection Against Thermal Breakdown

- HDMO40WSP205**
HD Motor Oil 40



Edge | Full Synthetic with Fluid Titanium Technology for Gasoline Engines

- EDG0W20SP203**
Edge 0W-20
- EDG0W20SP229**
Edge 0W-20
- EDG5W30SP203**
Edge 5W-30
- EDG5W30KSP229**
Edge 5W-30
- EDG10W30SP203**
Edge 10W-30
- EDG10W30SP224**
Edge 10W-30
- EDG5W40SN203**
Edge 5W-40
- EDG5W40SN229**
Edge 5W-40



Magnatec | Synthetic Technology with Intelligent Molecules for Gasoline Engines

- MAG10W30SP203**
Magnatec 10W-30
- MAG5W30A5228**
Magnatec 5W30A5 Full Synthetic
- MAG20W50SP203**
Magnatec 20W-50
- MAG10W40SP224**
Magnatec 10W-40
- MAG10W30SP224**
Magnatec 10W-30
- MAG10W40SP203**
Magnatec 10W-40
- MAG20W50SP224**
Magnatec 20W-50

GTX

Conventional Motor Oil with Double Action Formula for Gasoline Powered Engines

10W-30
10W-40
20W-50



GTX10W30SP205
GTX 10W-30
GTX20W50SP224
GTX 20W-50

GTX10W30SP224
GTX 10W-30
GTX20W50241
GTX 20W-50

GTX10W40224
GTX 10W-40
GTX10W40SP205
GTX 10W-40

GTX20W50SP205
GTX 20W-50

Gear Oil

75W-90
80W-90
85W-140



SYNTRLS75W90203
Syntrax Ltd Slip 75W-90

AXLLS80W90GL5205
Axle Limited Slip 80W-90

AXLLS80W90GL5161
Axle Limited Slip 80W-90

AXLLS80W90GL5173
Axle Limited Slip 80W-90

AXL85W140GL5205
Axle GL-5 85W-140

AXL85W140GL5241
Axle GL-5 85W-140

AXL85W140GL5221
Axle GL-5 85W-140

Grease



SPHEPL2405
Spheerol EPL2

MOLA8602202ES405
Molub-Alloy 860/ 220-2 ES

Transmission Fluid



TRAFSMVATF203
Transmax
Full Syn Multiveh ATF

TRAMXATFCVTUNI203
Transmax
CVT

TRAMDXME203
Transmax
Dex/ Merc

TRAMDXME161
Transmax
Dex/ Merc

TRAMXIMV224
Transmax
Import Multi Vehicle

TRAMXIMV203
Transmax
Import Multi Vehicle

UTF221
Universal Tractor
Fluid

UTF241
Universal Tractor
Fluid

Hydraulic Fluid

Available
In:

32
68



HYSAWS4624
Hyspin AWS 46

HYSAWS68221
Hyspin AWS 68

HYAWS46ZZ1
Hyspin AWS 46

HYSAWS68241
Hyspin AWS 68

HYSAWS32241
Hyspin AWS 32



Forward
to complete protection



We've got every fluid your cars need
Engine Oils | Transmission Fluids | Axle Oils
Coolants | Greases | Brake Fluids

castrol.com



Superior Protection
against engine sludge

NEW
AND
IMPROVED



3X Reformulated
PROTECT Synthetic Technology



Power Lube® Multi-Purpose Lubricant - 9oz
05005

All-in-one product quickly cleans, penetrates, lubricates, and protects against corrosion. Stops squeals and loosens rusted parts. Clings to surface to deliver long- lasting lubrication with less mess.

Displaces moisture.

\$46.⁴¹



Power Lube® Multi-Purpose Lubricant - 11oz
05006

All-in-one product quickly cleans, penetrates, lubricates, and protects against corrosion. Stops squeals and loosens rusted parts. Clings to surface to deliver long- lasting lubrication with less mess.

Displaces moisture.

\$50.⁶³



White Lithium Grease - 10oz
05037

A high purity, NLGI Grade 2 white lithium grease. Excellent water and heat resistance for use in any weather or temperature. Makes surfaces friction resistant and protects against corrosion. Ideal for metal-to-metal applications.

\$50.⁰⁶



QD® Contact Cleaner - 11oz
02130

CRC QD Contact Cleaner is suitable for cleaning sensitive electronics. As a contact cleaner it evaporates quickly, leaves no residue and is safe to use on all plastics.

Use where lower flashpoint cleaners are acceptable.

\$70.⁵⁹



Dry Moly Lubricant - 11oz
03084

Lowers friction, prevents galling and helps to reduce torque and energy consumption. High anti-friction and anti-seizure properties.

Fast drying film resists dirt and dust build-up.

\$70.⁵⁹



The Power of Advanced Lubrication!



- ▶ Displaces Moisture
- ▶ Frees Rusted Parts
- ▶ Stops Squeaks



- **Head Office**

3-5 Ibis Avenue, Ibis Acres,
San Juan

- **Contact Info**

Phone : +1 868 612 4383
E-mail : csr@ftfarfan.com
Web : www.ftfarfan.com

- **Branch Office**

21 Scott Street,
San Fernando

- **Socials**

Facebook : FT Farfan Ltd.
Instagram : FT FarFan Limited

